

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4338	Infrared adj source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/01/19 11:44
L2	1036	1 and ( resistance or resistor? near4 filament )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/01/19 11:45
L3	7	2 and ( drift near4 control )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/01/19 12:26
L4	336	2 and ( power near2 supply )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/01/19 12:27
L5	0	4 and ( reverse near4 polarity )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/01/19 12:28
L6	0	4 and ( change near4 polarity )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/01/19 12:28
L7	51	4 and ( direct near4 current )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/01/19 12:28
L8	13	7 and polarity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/01/19 13:19

L9	526	4and polarity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/01/19 13:09
L10	46	4 and polarity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/01/19 13:09
L11	0	4 and ( polarity near4 change )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/01/19 13:09
L12	0	4 and ( polarity near4 reverse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/01/19 13:10
L13	124	2 and polarity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/01/19 13:19
L14	124	13 and ( resistance or resistor near4 drift )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/01/19 13:20
L15	2	13 and ( drift near4 control )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/01/19 13:21

101626,094

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4338	Infrared adj sources	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/01/18 14:13
S2	729	S1 and ( resistance near4 elements or resistors )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/01/18 14:14
S3	5	S2 and ( insulat\$3 near4 body or enclosure )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/01/18 14:41
S4	2	S2 and ( drift near4 spot )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/01/18 14:45
S5	116	S2 and ( radiat\$3 near4 element )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/01/18 14:46
S6	2	S5 and ( drift near4 spot )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/01/18 14:47
S7	59	S5 and ( resistance near4 element )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/01/18 14:47
S8	18	S7 and ( insulat\$3 near4 housing or enclosure )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/01/18 15:09

S9	0	250/504R,493.1,503.1,	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/01/18 15:12
S10	3414	219/553,	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/01/18 15:15
S11	2463	((250/504R,493.1,503.1,) or (219/553,)).CCLS.	USPAT	OR	OFF	2005/01/18 15:16
S12	237	S11 ( infrared near4 source )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/01/18 15:16
S13	16	S12 and ( spectromet\$3 near4 source )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/01/18 15:17